

S A R L N I S H A N

KENWORTH





Table of Contents

- 01 Sarl Nishan Trading**
- 02 Kenworth**
- 03 Our areas of expertise:**
 - ✓ Resale of Kenworth Spare Parts in Condition
 - ✓ Training & Maintenance
 - ✓ Commissioning and Technical Support for Customers
 - ✓ Certified Experts by Kenworth for Workshop International
 - ✓ Kenworth 100% Spare Parts Warranty
- 04 Our QHSE Commitment**
- 05 After-sales services**
- 06 Kenworth Product Range Offered by SARL Nishan in Algeria**
- 07 Contact**





1 .SARL NISHAN TRADING

Welcome to SARL NISHAN TRADING - Where Asphalt Meets Excellence!

Who are we?

Sarl Nishan Trading, a company incorporated under Algerian law, is the official representative and trusted partner of the KENWORTH-PACCAR brand. We specialize in the sale of KENWORTH-PACCAR trucks and aftermarket parts, as well as importing equipment for the oil, gas and petrochemical industries.

We operate through three specialized departments to better serve our partners:

- ① **Mechanical Department:** As official representatives of KENWORTH PACCAR, this department is dedicated to truck sales, after-sales service, training, maintenance, technical support, and warranty coverage for PACCAR-KENWORTH spare parts. We are also representatives of ALLISON TRANSMISSION INC. and IVECO/ASTRA.
- ② **Petroleum Equipment Department:** By importing a wide range of petroleum equipment, we meet the most demanding industry standards. We are also representatives of AMERICAN MUD PUMPS, a U.S.-based manufacturer of mud pumps.

trust SARL NISHAN TRADING for comprehensive solutions and ongoing support. We are ready to meet your needs with professionalism and efficiency, offering tailor-made solutions that exceed your expectations. With SARL NISHAN TRADING, you have a dedicated partner to navigate the dynamic world of KENWORTH-PACCAR.





2 KENWORTH

Kenworth – Truck Excellence:

Explore our fleet of Kenworth heavy-duty trucks, designed to dominate Algerian highways. Featuring roaring engines and comfortable cabins, each model embodies Kenworth's power, reliability and iconic style.

Kenworth, an American company specializing in the manufacture of heavy-duty trucks, with an indelible mark on the history of the road transport industry. Since its inception, the company has focused on creating robust, reliable and innovative vehicles. It has been able to evolve with the changing needs of the market, expanding its product range to meet the specific requirements of different industries.

It stands out for its commitment to quality, implementing strict standards of sustainability and safety. Its trucks incorporate advanced technologies to improve fuel efficiency and enhance driver safety. The customization options offered by Kenworth allow customers to choose solutions tailored to their specific needs.

The company has managed to expand influence beyond U.S. borders, playing a significant role on the global transportation stage. Kenworth continues to look to the future, investing in research and development to stay at the forefront of innovation.

”

Kenworth's Big Rigs – Because the Road Deserves the Best!

KENWORTH, a name synonymous with innovation and excellence for decades, is recognized in the heavy-duty truck industry for its rigorous manufacturing standards and commitment to operational efficiency. Kenworth is the epitome of excellence, combining tradition, quality and innovation to meet the dynamic challenges of the road transport industry.





3

OUR AREAS OF EXPERTISE:



✓ .RESALE OF KENWORTH SPARE PARTS IN CONDITION

We are proud to offer a comprehensive selection of genuine Kenworth spare parts. Each component is carefully checked and reconditioned to ensure optimal performance of your equipment.




MX-13

The PACCAR MX-13 Engine is built for the long haul. No matter what the conditions, this engine will get you to your destination with power to spare.

PEAK HORSEPOWER **PEAK TORQUE (LB.-FT. @ RPM)**

445	1,700 @ 900	●
430MT	1,450/1,650 @ 900 ¹	●
430	1,650 @ 900	●
415	1,550 @ 900	●
400	1,450 @ 900	●
375	1,350 @ 900	●
355	1,250 @ 900	●

¹Multi-torque rating





MX-11

Redefine efficiency with the PACCAR MX-11 engine. This engine offers superior performance alongside a powerful and lightweight design




PEAK HORSEPOWER **PEAK TORQUE (LB.-FT. @ RPM)**

445	1,700 @ 900
430MT	1,450/1,650 @ 900 ¹
430	1,650 @ 900
415	1,550 @ 900
400	1,450 @ 900
375	1,350 @ 900
355	1,250 @ 900

¹Multi-torque rating



TORQUE




PX - 9

The PX-9 gets you where you need to go when you need to get there. With one of the highest power-to-weight ratios in its size, this engine moves heavy payloads without hesitation



PX-7



The PX-7 makes a new name for dependable precision. With smooth operation and an excellent power-to-weight ratio, this engine sets new standards for medium-duty power.





TX-18 + TX-18 PRO

The PACCAR TX-18 combines performance and rugged durability needed to get tough jobs done. Optimized for integration with MX ENGINES and ideal for vocational, heavy-haul, service, and high-performance applications on-highway. PACCAR also offers the TX-18 PRO which allows for on-and off-highway performance and heavy vocational needs.




TX-12

Discover stress-free driving with the PACCAR TX-12 – the purpose-built automated transmission intuitively designed for maximum compatibility with the PACCAR powertrain

TX-8

Experience efficiency with the innovative design of the PACCAR TX-8 automatic transmission—performance, reliability and uptime .



DX-40

The PACCAR DX-40 AXLE'S superior design helps you reach your destination with improved efficiency and durability . So you can keep more dollars in pocket along the way.





With PACCAR Technology at your back, superior maneuverability is now a reality . The PACCAR FX-20 AXLE offers exceptional performance with increased durability in multiple applications

FX-20



✓.Training & Maintenance



Our skilled teams provide extensive training for your staff, preparing them to get the most out of your Kenworth equipment. In addition, our preventive and corrective maintenance services are designed to maximize the life of your assets.

✓.Commissioning and Technical Support for Customers

We support you every step of the way, from commissioning to day-to-day use. Our technical team is at your disposal to solve operational challenges and optimize your processes.





✓ . Certified Experts by Kenworth for Workshop International

Nishan Trading goes beyond borders to support your international workshop. We send Kenworth-certified experts to respond on-site, ensuring top-notch expertise no matter where you are in the world.

✓ . Kenworth 100% Spare Parts Warranty

Your trust is our priority. All of our replacement parts are guaranteed to be 100% genuine Kenworth, ensuring perfect compatibility and reliable performance.




4 .Our QHSE Commitment

We are committed to providing you with solutions that mitigate risk, ensure regulatory compliance, and improve overall performance. Our mission includes managing the Quality, Health, Safety and Environment (QHSE) of your assets, projects, products and systems.



5 .After-sales services



After acquiring our services, our commitment to your success continues. Your journey to excellence continues with Nishan Trading. Contact us today to discuss how we can contribute to the advancement and success of your industrial projects. Trust Kenworth's unrivalled quality with Nishan Trading by your side.

6 .Kenworth Product Range Offered by SARL Nishan in Algeria :

At SARL Nishan, we are proud to present a diverse range of Kenworth heavy-duty trucks, designed to meet the specific needs of the transport industry in Algeria. Each model embodies the excellence of the Kenworth brand, offering superior performance, unmatched reliability and exceptional comfort. Check out our carefully curated selection:



KENWORTH C500



SPECEIFICATIONS :

C500 BBC 123'+

Bumper setting : 49", 56.5" & 66"

Front Axle to BOC : 74'

Application : Tractors and full trucks

Hood : Straight or sloped wide forward-tilting fiberglass, sheet metal Butterfly

Available Engines : Cummins ISX 15

PTO'S : Front, rear, split shaft, and transmission mounted 6 & 8 bolt

Available radiator : 1780 sq. in.

Front Axle Rating (max) : 30,000 lbs.

Rear Axle Rating (max) : 120,000 lbs.

GVWR : 150,000 lbs. For 3 axles

GCWR : 500,000 lbs.

Frame : Single, double, & triple rails

C500 TWIN STEER (8x4, 8x6, 8x8)

BBC : 123"+Bumper

Setting : 85" (49" from forward axle)

Front Axle to BOC : 38" (2" behind 2nd axle centerline)

Application : Tractors and full trucks

Hood : Straight, forward-tilting fiberglass sheet metal Butterfly

Available Engines : Cummins ISX 15 (600 hp)

Radiator : 1780 sq. in.

Front Axle Rating (max) : 40,000 lbs.

Rear Axle Rating (max) : 120,000 lbs.

GVWR : 160,000 lbs. For 4 axles ;

GCWR : 350,000 lbs.

Frame : Single, double, & triple rails



KENWORTH C500 CONVENTIONNEL



threads steel spring pins & bushings, 16mm. fasteners from rear cab support to end-of-frame, except tractor taper crossmember. Vinyl inside sunvisors, driver side includes strap & mirror, rider side includes strap; Under-dash center console w/ 2 cup holders, 2-12V outlets & a storage compartment, Glove box door with locking latch.

Engine : Cummins ISX15 Euro 5
600@2000 2050@1200
Bumper Setting 50 " Front Axle to BOC:
74"
Application: Full trucks & dumper Truck
Hood: Straight Unitglas Hood W/ Split
Fenders
Available Engines: Cummins ISX 15
Transmission: Fuller RTLO22918B 18-
speed
Batteries: 3 PACCAR GP31 Threaded Post
(700-730)
Mitsubishi 105P55 12V Starter with
Cummins and PX
Fuel Tank: 105 US Gallon 28.5 in.
Aluminum Under Available Radiator: 1780
sq. in
Air Compressor: Cummins 37.4 CFM
Bumper: Straight Steel, Painted Channel.
Cab: Flat Glass Conventional Cab.
Includes

Unit Model c500 Series Conventional	Fr axle Load (lbs)	22000
Type : -Full truck -Dump truck	Rr Axle Load	93000
Benne	G.C.W (lbs)	115000
Application Intended Service : Mining Road conditions: Class A (Highway) Class hauler. Vehicles used for haul		0
Marchandise: Gravel / Crushed Rock/Sand	Class B (Hwy/Mtn)	5
	Class C (Off-Hwy)	75
Body	Class D (Off-Road)	20
Type : End Dump	Maximum Grade :	10
Length (ft) : 30	Wheelbase (in) :	248
Height (ft) : 13	Overbang (in) :	65
Max Laden Weight (lbs) : 4000	Fr Axle to BOC (in) :	74





Engine / Powertrain :

- PACCAR MX-13 Engine
12.9 Liter
405-510 HP
1,450 – 1,850 lb-ft of Torque
- TruckTech+ Remote Diagnostics
Exhaust / Aftertreatment
- RH Under Cab DPF/SCR with Horizontal Tailpipe
Small Round DEF Tank – 11 Usable Gallons



PACCAR TX-18 Transmission

Introducing the new PACCAR TX-18 series. These high-performance automated transmissions are specially designed to combine efficiency, lightweight design, and sophisticated controls. The TX-12 offers the reliability and robustness necessary for heavy-duty professional work. The TX-18 and TX-18 Pro are equipped with revolutionary features designed to help you accomplish your tasks.





Engine / Powertrain

- PACCAR MX-13 Engine
 - 12.9 Liter
 - 405-510 HP
 - 1,450 – 1,850 lb-ft of Torque
- TruckTech+ Remote Diagnostics

Exhaust / Aftertreatment

- RH Under Fairing DPF/SCR with Horizontal Tailpipe
- Small Round DEF Tank – 11 Usable Gallons



PACCAR TX-18 Transmission

Introducing the new PACCAR TX-18 series. These high-performance automated transmissions are specially designed to combine efficiency, lightweight design, and sophisticated controls. The TX-12 provides the necessary reliability and robustness to conquer heavy professional work. The TX-18 and TX-18 Pro are equipped with revolutionary features designed to help you accomplish your tasks.



KENWORTH W900L



A timeless classic, offering an unmistakable combination of style and power.

KENWORTH 100

A limited edition for connoisseurs who demand the ultimate in style and performance.



KENWORTH W900L LIMITED EDITION

KENWORTH T680



SPECIFICATION :

Engine / Powertrain :

- EPA 2021 PACCAR MX-13 Engine
 - o 12.9 Liter
 - o 405-510 HP
 - o 1,550 - 1,850 lb-ft of Torque
 - TruckTech+ Remote Diagnostics
 - TruckTech+ Over-The-Air Update Capable
- #### Exhaust / Aftertreatment
- RH Under Fairing DPF/SCR with Horizontal Tailpipe
 - DEF Tank – 21 Usable Gallons.



KENWORTH T680 SIGNATURE EDITION

KENWORTH 100



Exclusive edition combining sophistication and power, for those looking for the exceptional.

SPECIFICATIONS :

- Up to 450 Miles of Range
- 415 HP Continuous
- Top Speed 70 MPH
- 82,000 lbs Max GCWR
- Quick Refuel Time
- New Lightweight Roof Fairing

RANGE AND REFUEL :

The T680 FCEV has a range of up to 450 miles, depending upon driving conditions, and quick refueling..

KENWORTH T680 FCEV



KENWORTH T680 E



ANDEM ELECTRIC POWERTRAIN (THE NAME OF THE PART with the photo of the part and the photo of the truck)

The Kenworth T680E is equipped with 536 hp continuous power and up to 670 hp peak power and 1,623 lb-ft of torque. Providing power is Meritor's 14Xe powertrain with high/low voltage power electronics under the hood..



KENWORTH T380/480

SPECIFICATIONS :

Engines :

- PACCAR PX-7
- PACCAR PX-9
- Cummins L9N

Bumpers:

- Aero In-Mold Gray
- Aero Painted Optional
- Aero Chrome Optional
- Available Braden Winch Provision

Roof Options :

- Low Roof Standard
- Raised Roof Optional (Shown)

Axle Ratings

- T480
- Front - 10,000 to 20,000 lbs.
- Rear - 20,000 to 46,000 lbs.

Front Drive Axles:

- Up to 16,000 lbs.

Tire Sizes 19.5", 22.5" and 24.5"
Pusher Axles Available

T380



T480



PACCAR TX-8

For more intuitive vehicle control and superior performance from drivers of all experience levels, spec PACCAR's TX-8 automatic 8-speed transmission. With a best-in-class power-to-weight ratio, it also upshifts your payload and profit potential



KENWORTH K270/K370 :



Solutions agiles pour les besoins du transport urbain, parfaitement adaptées à un environnement urbain.

K370/270

PECIFICATION :

PACCAR Engine

- PACCAR PX-7 6-Cylinder, 6.7 L, EPA 2013
- 220HP@2400, 520@1600
- 240HP@2400, 560@1600
- 250HP@2400, 660@1600

Engine Equipment

- Alternator - 160 Amp
- K270 Transmission - Allison 5-Speed 2100 HS
- K370 Transmission - Allison 5-Speed 2500 HS
- Allison 3000HS 5 Speed Transmission
- Allison RDS Series Transmission
- Allison 6 Speed Transmissions
- Fuel Tank - 45 Gallon, Rectangular
- Dual 45 Gallon Rectangular Fuel Tanks
- DEF Tank - 7.5 Gallon, Rectangular
- Exhaust - Horizontal Crossover DPF/SCR w/Horizontal Tailpipe
- Two PACCAR 700 CCA Batteries
- Two PACCAR 1000 CCA Batteries

Gross Axle Weight Rating

- K270 Front 10,000 lbs.
- K370 Front 12,000 lbs.
- K270 Rear 16,000 lbs
- K370 Rear 21,000 lbs.
- Rear Axle Ratio 5.29 or 5.57
- Rear Axle Ratio 4.63 with 19.5" Tires

Suspensions

- Front Suspension - Parabolic Spring
- Rear Suspension - Reyco Mechanical
- Rear Suspension - Hendrickson HAS210 or HAS230 Air Ride
- Wheels / Tires / Brakes
- Wheels - 22.5" Steel Painted White
- Wheels - 19.5" Steel Painted White
- Aluminum Wheels
- Tires - F/R: Bridgestone 11R22.5"
- Tires - F/R: Bridgestone 19.5"
- Brakes - Front and Rear Drum
- Front Air Disc

Frame

- 33.9" Frame Spacing
- Steel Painted Gray Bumper
- Section Properties Per Rail : Frame Section Modulus RBM 11.65 Cu In, 1,398,664 lb/in
- **Electrical System**
- 12 Volt Starting and Charging System
- Exterior Lighting 12 Volt
- Two 12-Volt Power Ports in Cab
- Body Builder Connections 12 Volt Cab
- Hydraulic 55 Degree Tilting Steel Cab
- K270/K370 78.6" Top of Frame Rail to Top of Cab - 22.5" Tires
- K270/K370 52.2" Bumper to Center of Front Axle - 22.5" Tires
- 82.5" Cab Width
- Driver Seat - Air Suspension
- Passenger Seat - 2-Person Bench
- Passenger Seat - Single Person Air Ride



KENWORTH K270/K370 :

Center Storage Console and Cupholders

- Heater and Air Conditioning
 - Cruise Control
 - Power Windows
 - Power Mirrors
 - Heated Mirrors
 - Doors Open 90 Degrees
 - Cab Suspension - Maintenance-Free
 - Dash Displays - English
 - Outside Air Temperature Display
 - Coolant Temperature Display
 - Dual Air Pressure Gauges
 - AM/FM/WB/USB, Bluetooth Radio
 - AM/FM/CD/WB/USB, Bluetooth Radio
 - Roof Mounted Air Intake Snorkel
- Paint
- Cab - Ice White Axalta N8870



The K270 and K370 come standard with the PACCAR PX-7 engine rated up to 250 hp and 660 lb-ft of torque. A proven workhorse, the PACCAR PX-7 produces the highest horsepower to weight ratio of any engine in the industry. The right choice for demanding applications, the PACCAR PX-7 offers extended service intervals, advanced fuel efficiency and reliability you'll measure in peace of mind.

- Switch and Wiring for Customer Installed PTO
- Wiring only for Customer Installed Backup Alarm
- Speakers and Wiring for Customer Installed Radio
- Oil Pan Heater 300 Watt
- Immersion Pre-Heater 120 Volt
- Heated Fuel Filter
- Rear Shock Absorbers - Reyco
- Rear Axle Stabilizer Bar - Reyco
- Rear Differential Lock
- Rear Mud Flap Hanger & Shields
- Backup Alarm
- Orange Seat Belts
- Red Seat Belts
- Clear Frame Rail Package BOC, Inboard Mounted
- Vertical Exhaust/Air Filter
- DEF Tank
- Battery Box
- Air Tanks
- 6.50 or 7.17 Rear Axle Ratio

PACCAR PX-7

The K270 and K370 come standard with the PACCAR PX-7 engine rated up to 250 hp and 660 lb-ft of torque. A proven workhorse, the PACCAR PX-7 produces the highest horsepower to weight ratio of any engine in the industry. The right choice for demanding applications, the PACCAR PX-7 offers extended service intervals, advanced fuel efficiency and reliability you'll measure in peace of mind.



KENWORTH K270E – K370E



Electrical options for urban and regional missions.

KENWORTH T180E. T280

Exceptional adaptability for the varied missions of commercial transport.

Roof Options :

- Low Roof Standard
- Raised Roof Optional (Shown)

Engines:

- PACCAR PX-7
- PACCAR PX-9
- Cummins L9N

Axle Ratings

- Front - 8,000 to 12,000 lbs.
- Rear - 11,500 to 21,000 lbs.

Bumpers :

- Aero In-Mold Gray
- Aero Painted Optional
- Aero Chrome Optional
- Available Braden Winch Provision

Tire Sizes - 19.5" to 22.5"

Front Drive Axles :

- Up to 12,000 lbs.





SARL NISHAN – Your Industrial Future Redefined With Kenworth Excellence

At Nishan Trading, your success is our constant motivation. As a full-service partner, we are committed to providing solutions that exceed your expectations, ensure the performance of your Kenworth equipment, and shape industry excellence. Your road to success continues with Nishan Trading. Contact us today for an exceptional collaboration, combining the power of Kenworth with our dedicated expertise. Trust Nishan Trading to be the driving force behind your next advancement in the industry.



7

CONTACT

SARL
NISHAN
TRADING



+(213) 770 810 827

+(213) 770 810 839



info@sarlnishan.com



**36, Rue Sidi Yahia, Alger
(Algérie)**



www.sarlnishan.com

